



SUPERVISED DRUG-USE FACILITY for
healthcare of active users
early intervention in overdose management
preparation for drug dependence treatment programs
National Strategic Reference Framework (MIS 339476)



Athens, 22/11/2013

SUPERVISED DRUG-USE FACILITY for

healthcare of active users
early intervention in overdose management
preparation for drug dependence treatment programs

EU (National Strategic Reference Framework, MIS 339476)

PROVIDED SERVICES:

1. Safer **use** of substances
2. **Information** about the operation of the facility with or without **registration**
(Registration = recording data in archives and medical history, without using substances)
3. **Questionnaire** on the necessity of this facility and to obtain information related to the drug use, the substances present in traffic, the user problems and possible proposals.


The facility is operating from October 3rd, 2013.

DATA PRESENTATION FOR THE 36 DAYS OF OPERATION:


- **220 visits** for the services provided
(**255 visitors** since the beginning of the project)
- **160 visits for safer use** by **54 different users**
- **Overdose management**, in **2 subjects**
- **Prevention of overdose**, tough close monitoring, in **8 subjects** with major repression
- There have been in
7 persons: meetings of **psychological support** (psychologist)
8 persons: **counseling / referral** to other social services (social worker)
1 person: **wound care** (nursing staff)

Head: Anastasios K. Papakonstantinou - Psychiatrist
3rd September n.21, 104 32 Athens, Greece

T: +30 210 5224202, Fax: +30 210 5224265, E-mail: odysseas@okana.gr



- ❖ Also, according to the medical history, as declared by the users:
 - **8%** of users **do not have co morbidity** with **hepatitis** and/or **HIV**
 - **14%** have **not been examined** for the above and **referred for examinations**



- ❖ Regarding mental health, **27%** of the beneficiaries in accordance with our psychiatric evaluation, suffer from **mental illness** (not monitored or followed one time some medication which stopped)
Therefore, **14 users referred** for further **psychiatric investigation/treatment**

